

שם מוצר	B	Cl	S	SO4	Mo	Cu	Zn	Mn	Fe	Mg	Ca	K ₂ O	P ₂ O ₅	N-NH ₂	N-NH ₄	N-NO ₃	N-TOT	pH	מוליכות 1 מ"מ/ק	משקל סגולי	עמידות בטמפרטורה	
ערבה 10-0-5												5				5.9	10	0.7	0.75	1.18	2	
ערבה 10-1.5-5												5	1.5		4.2	5.8	10	1	0.77	1.2	2	
ערבה 10-5-5											5	5	5		4.2	5.8	10	0.7	0.98	1.23	4.5	
ערבה 12-0-5											5				5.1	6.9	12	0.7	0.91	1.21	2	
ערבה 12-2.5-5											5	5	2.5		5.2	6.8	12	0.7	0.91	1.25	3	
ערבה 15-3-0													3		7.5	7.5	15	0.41	1.16	1.22	2	
ערבה 16-4-0													4		8	8	16	0.27	1.33	1.25	2	
ערבה 16-8-0 עיסקה													8		8	8	16	<	1.64	1.29	2	
ערבה 18-3-0													3		9	9	18	0.38	1.35	1.26	<	
ערבה 18-6-0												6			9	9	18	<	1.36	1.3	6	
ערבה 2.5-5-8											8	5			0.2	2.3	2.5	0.7		1.2	10	
ערבה 3-1-8											8	1			0.3	2.7	3	0.7	0.39	1.13	11	
ערבה 3-3-8		0.5									8	3			0.4	2.6	3	0.7	חסר	1.18	12	
ערבה 4-0-6											6				1	3	4	0.7	0.38	1.12	5	
ערבה 4-0.5-6											6	0.5			1.1	2.9	4	1.23	0.39	1.12	3.1	
ערבה 4-1-6											6	1			1.1	2.9	4	0.7	0.4	1.12	2	
ערבה 4-1-8											8	1			0.8	3.2	4	0.7	0.44	1.15	12	
ערבה 4-2-6											6	2			1.1	2.9	4	0.7	0.42	1.14	5	
ערבה 4-2-8		0.7									8	2			0.8	3.2	4	0.7	0.47	1.17	12	
ערבה 4-6-4											4	6			1.4	2.6	4	0.63	0.59	1.14	2	
ערבה 4-8-4											4	8			1.4	2.6	4	0.55	0.68	1.16	2	
ערבה 4.5-0-8											8				1	3.5	4.5	0.7	0.46	1.14	12	
ערבה 5-1-8											8	1			1.3	3.7	5	1.1	0.54	1.16	10	
ערבה 5-2-8											8	2			1.4	3.6	5	0.7	0.54	1.17	13	
ערבה 5-2.5-7.5												7.5	2.5		1.4	3.6	5	0.7	0.54	1.18	13	
ערבה 6-0-6											6				2	4	6	0.7	0.51	1.14	6	
ערבה 6-2-6											6	2			2.1	3.9	6	0.7	0.53	1.17	5	
ערבה 6-2-8		0.7									8	2			1.8	4.2	6	0.7	0.62	1.18	14	
ערבה 6-2.5-6											6	2.5			2.1	3.9	6	0.7	0.6	1.18	7	
ערבה 6-3-6											6	3			2.1	3.9	6	0.7	0.59	1.19	6	
ערבה 6-5-5											5	5			2.2	3.8	6	0.7	0.7	1.17	4	
ערבה 6-6-3											3	6			2.5	3.5	6	0.7	0.74	1.16	2	
ערבה 6-6-6											6	6			2.1	3.9	6	0.7	0.8	1.19	9	
ערבה 7-0-7											7				2.3	4.7	7	0.7	0.58	1.17	11	
ערבה 7-1-7											7	1			2.4	4.6	7	0.7	0.6	1.17	8	
ערבה 7-1.5-5											5		1.5		2.7	4.3	7	1.1	0.63	1.15	2	
ערבה 7-2-7											7	2			2.4	4.6	7	0.7	0.67	1.18	11	
ערבה 7-3-7											7	3			2.4	4.6	7	0.7	0.68	1.19	9	
ערבה 8-2-4											4	2			3.4	4.6	8	0.7	0.6	1.18	3	
ערבה 8-2-6											6	2			3.1	4.9	8	0.7	0.65	1.19	7	
ערבה 8-6-4											4	6			3.4	4.6	8	0.7	0.89	1.25	3	
ערבה 8-6-6											6	6			3.1	4.9	8	0.7	0.92	1.27	9	
ערבה 8-8-4											4	8			3.4	4.6	8	0.7	0.99	1.22	2	
ערבה 9-0-6											6				3.5	5.5	9	0.7	0.69	1.18	6	
ערבה 9-1.5-6											6		1.5		3.6	5.4	9	1.1	0.71	1.2	6	
ערבה 9-1.5-7											7		1.5		3.4	5.6	9	0.7	0.75	1.22	9	
ערבה 4-1-6 חנקתית											6	1			0.6	3.4	4	0	0.67	1.13	5.2	
ערבה 5-1-8 חנקתית											8	1			1	4	5	0	0.68	1.16	14	
ערבה לא חמוצה 7-0-7+ק.											7				2.5	4.5	7	3.5	0.56	1.17	9	
ערבה לא חמוצה 7-0-7											7				2.5	4.5	7	3.5	0.56	1.17	9	